


mis[®]
CONICAL CONNECTION
PROSTHETIC OPTIONS



MIS superstructures are designed to meet all prosthetic needs and fit all established working protocols. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types. MIS offers solutions for both screw retained and cement retained restorations.






MIS conical connection prosthetic components present a consistent emergence profile throughout the entire prosthetic procedure. It is important to comply with the component's pillar diameter as well as the gingival height in order to achieve ultimate soft tissue results.

Impression coping



Healing cap

Prosthetic abutment



Healing cap

Tissue Level

Bone Level

NARROW PLATFORM / C1,V3

1.

Healing caps

Impression coping - open tray

2.

Healing caps

Impression coping - open tray


Impression coping - closed tray

Cemented options


Overdenture options

Bone level - - - Tissue level - - -


1.




2.



3.




Each item chart displays available healing cap heights and related prosthetic options. **Bold item** numbers are shown in images above each column.



CN-H0333	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO401 VN-IO331 VN-IO335
CN-H0433	
CN-H0533	CN-IO335 CN-IO405
CN-H0633	
CN-H0833	

Gingival height: 3, 4, 5, 6, 8mm



*CN-HS340	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO401 VN-IO405 VN-IO331 VN-IO335	CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340 CN-IT300 VN-IC400	CN-MAC10 VN-MC101 CK-NPK41 VK-NPK41 CK-NPK61 VK-NPK61	CK-NOE1 CN-B1330
CN-HS440			CK-NPK42 VK-NPK42 CK-NPK62 VK-NPK62	CK-NOE2 CN-B2330
CN-HS540		CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340	CK-NPK43 VK-NPK43 CK-NPK63 VK-NPK63 CN-MAC30 VN-MC103	CK-NOE3 CN-B3330
CN-HS640	CN-IO335 CN-IO405 VN-IO335 VN-IO405		CK-NPK44 VK-NPK44 CK-NPK64 VK-NPK64	CK-NOE4 CN-B4330
CN-HS840				CK-NOE5

Gingival height: 3, 4, 5, 6, 8mm

3

Healing caps

Impression coping - open tray

or


Impression coping - closed tray

Cemented options

or

Screw retained options

CAD/CAM Solutions



Gingival height 2, 3, 4, 5, 6, 8mm

*CN-HA248	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO401 VN-IO405 VN-IO331 VN-IO335	CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340 CN-IT300 VN-IC400			CK-NIZ6 VK-NIZ6 CK-NIC6 VK-NIC6 CN-TB001 VN-TB001 CN-TB002 CN-IN060 VN-IN060
CN-HA348			CN-AN001 VN-AT001 CN-AN010 VN-AT101 CN-AN020 VN-AT201	CN-GP010 CN-GPC10 VN-GPC10 CM-N1480	CK-NIZ1 VK-NIZ1 CK-NIC1 VK-NIC1 CN-TB015 VN-TB015 CN-TBF15 CN-IN160 VN-IN160
CN-HA448			CN-AT002 VN-AT002 CN-AT102 VN-AT102 CN-AT202 VN-AT202	CM-N2480	
CN-HA548	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO335 VN-IO405 VN-IO331 VN-IO401	CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340	CN-AN003 VN-AT003 CN-AN310 VN-AT103 CN-AN320 VN-AT203	CM-N3480	CN-TB030 VN-TB030 CN-TBF30 CN-IN360 VN-IN360
CN-HA648	CN-IO335 VN-IO335 CN-IO405 VN-IO405			CM-N4480	
CN-HA848				CM-N5480	

NARROW



V3
V3-10330
V3-11330
V3-13330
V3-16330



CC1-00277
Cover Screw
(20-25 Ncm)

Fixed Prosthetic Options

Healing Caps

Ø3.3



CN-H0333 (H=3mm)
CN-H0433 (H=4mm)
CN-H0533 (H=5mm)
CN-H0633 (H=6mm)
CN-H0833 (H=8mm)

Ø4



CN-HS340 (H=3mm)
CN-HS440 (H=4mm)
CN-HS540 (H=5mm)
CN-HS640 (H=6mm)
CN-HS840 (H=8mm)

Ø4.8



CN-HA248 (H=2mm)
CN-HA348 (H=3mm)
CN-HA448 (H=4mm)
CN-HA548 (H=5mm)
CN-HA648 (H=6mm)
CN-HA848 (H=8mm)

20-25 Ncm

Impression Copings



VN-IO331 (Ø2.8mm H=11mm)
VN-IO335 (Ø2.8mm H=15mm)



VN-IO401 (Ø3.3mm H=11mm)
VN-IO405 (Ø3.3mm H=15mm)



VN-IC401 (Ø3.9mm H=11mm)
VN-IC405 (Ø3.9mm H=15mm)



VN-IC400 (Ø4mm)



VN-PF340 (Ø2.8mm)

20-25 Ncm

Analog



VN-RSM10

20-25 Ncm


Temporary Cylinders




VN-TPH50 (Ø3.5mm)



VN-TPA10 (Ø4mm H=1.5mm)



CN-TC013 (Ø4mm H=1mm)
CN-TC023 (Ø4mm H=2mm)
CN-TC033 (Ø4mm H=3mm)




VN-TC113 (Ø4mm H=1mm)
VN-TC123 (Ø4mm H=2mm)
VN-TC133 (Ø4mm H=3mm)

20-25 Ncm

All superstructures are provided with the relevant prosthetic screws:






Gold Plastic Cylinders



○ Free rotation
○ Anti-rotation

20-25 Ncm

Cemented Abutments



MN-IC040





MN-ICH40

* Includes burnout anti-rotation plastic cap MN-ICH40



30-35 Ncm

Angulated Cemented Abutments



30-35 Ncm

Zirconia Solutions



30-35 Ncm

NARROW

Multi-Unit



CM-N1480 (H=1mm)
 CM-N2480 (H=2mm)
 CM-N3480 (H=3mm)
 CM-N4480 (H=4mm)
 CM-N5480 (H=5mm)

* Do not exceed 30 Ncm

Ball Attachments



CN-B1330 (H=1mm)
 CN-B2330 (H=2mm)
 CN-B3330 (H=3mm)
 CN-B4330 (H=4mm)

30-35 Ncm

OT-Equators



CK-NOE1 (H=1mm)
 CK-NOE2 (H=2mm)
 CK-NOE3 (H=3mm)
 CK-NOE4 (H=4mm)
 CK-NOE5 (H=5mm)

* Available in kits only

30-35 Ncm

Ti-Base



VN-TB001 (Ø4.3mm H=0.5mm C=4mm)
 VN-TB015 (Ø4.3mm H=1.5mm C=4mm)
 VN-TB030 (Ø4.3mm H=3mm C=4mm)



CN-TB002 (Ø4.3mm H=0.5mm C=4mm)
 CN-TBF15 (Ø4.3mm H=1.5mm C=4mm)
 CN-TBF30 (Ø4.3mm H=3mm C=4mm)



VN-IN060 (Ø4.3mm H=0.5mm C=6mm)
 VN-IN160 (Ø4.3mm H=1.5mm C=6mm)
 VN-IN360 (Ø4.3mm H=3mm C=6mm)

Scanning Abutment



VN-RSM10



GI-SCH11



VN-SP102

* Scanning Abutment is sold separately and is not part of the Ti-Base package.

○ Free rotation
 ⊗ Anti-rotation

30-35 Ncm

Implant Details


Titanium Blank




VN-IB091 (Ø9mm)
VN-IB121 (Ø12mm)



VN- MAB10



Emergence profile



3.30
Diameter

NARROW

NARROW/C1 (Ø3.30)

Restorative Options for Narrow Platform



Fixed Prosthetic Options

Healing Caps



CN-H0333 (H=3mm)
CN-H0433 (H=4mm)
CN-H0533 (H=5mm)
CN-H0633 (H=6mm)
CN-H0833 (H=8mm)



CN-HS340 (H=3mm)
CN-HS440 (H=4mm)
CN-HS540 (H=5mm)
CN-HS640 (H=6mm)
CN-HS840 (H=8mm)



CN-HA248 (H=2mm)
CN-HA348 (H=3mm)
CN-HA448 (H=4mm)
CN-HA548 (H=5mm)
CN-HA648 (H=6mm)
CN-HA848 (H=8mm)

20-25 Ncm

Impression Copings



20-25 Ncm

Analog



20-25 Ncm

Temporary Cylinders





20-25 Ncm

All superstructures are provided with the relevant prosthetic screws:







Gold Plastic Cylinders



○ Free rotation
 ◻ Anti-rotation

20-25 Ncm


Cemented Abutments



* Includes burnout anti-rotation plastic cap MN-ICH40


30-35 Ncm

Cemented Angulated Abutments



30-35 Ncm

Zirconia Solutions



30-35 Ncm

NARROW

Multi-Units



CM-N1480 (Ø4.8mm H=1mm)
 CM-N2480 (Ø4.8mm H=2mm)
 CM-N3480 (Ø4.8mm H=3mm)
 CM-N4480 (Ø4.8mm H=4mm)
 CM-N5480 (Ø4.8mm H=5mm)

* Do not exceed 30 Ncm

Ball Attachments



CN-B1330 (H=1mm)
 CN-B2330 (H=2mm)
 CN-B3330 (H=3mm)
 CN-B4330 (H=4mm)

30-35 Ncm

OT-Equators



CK-NOE1 (H=1mm)
 CK-NOE2 (H=2mm)
 CK-NOE3 (H=3mm)
 CK-NOE4 (H=4mm)
 CK-NOE5 (H=5mm)

* Available in kits only

30-35 Ncm

Ti-Base



CN-TB001 (Ø4.3mm H=0.5mm C=4mm)
 CN-TB015 (Ø4.3mm H=1.5mm C=4mm)
 CN-TB030 (Ø4.3mm H=3mm C=4mm)



CN-TB002 (Ø4.4mm H=0.5mm C=4mm)
 CN-TBF15 (Ø4.4mm H=1.5mm C=4mm)
 CN-TBF30 (Ø4.4mm H=3mm C=4mm)



CN-IN060 (Ø4.4mm H=0.5mm C=6mm)
 CN-IN160 (Ø4.4mm H=1.5mm C=6mm)
 CN-IN360 (Ø4.4mm H=3mm C=6mm)


Scanning Abutment



CN-RSM10



GI-SCH11



CN-SP102

* Scanning Abutment is sold separately and is not part of the Ti-Base package.

○ Free rotation
 ◊ Anti-rotation

30-35 Ncm

Implant Details


Titanium Blank




CN-IB091 (Ø9mm)
CN-IB121 (Ø12mm)



CN- MAB10



Emergence profile



3.30
Diameter

NARROW

STANDARD PLATFORM / C1,V3

1.

Healing caps

Impression coping - open tray

2.

Healing caps

Impression coping - open tray




Impression coping - closed tray

Cemented options


Screw retained options

CAD/CAM Solutions

Prosthetic Options Listed by Healing Caps




! Each item chart displays available healing cap heights and related prosthetic options. **Bold item** numbers are shown in images above each column.



CS-H0339	CS-IO395 CS-IO391
CS-H0439	
CS-H0539	CS-IO395
CS-H0639	
CS-H0839	

Gingival height 3, 4, 5, 6, 8mm



CS-HS248	CS-IO375 CS-IO485 CS-IO391 CS-IO395	CS-IC481 CS-IC485 CS-PF375 CS-IT300			CK-SIZ6 CK-SIC6 CS-TB001 CS-IN060 CS-TB002
CS-HS348			CS-A0010 CS-A1510 CS-A2510 CS-MAC10 CK-CPK41 CK-CPK61 CK-CPK81	CM-S1480 CS-GPC10 CS-GP010	CS-TB015 CS-IN160 CS-TBF15 CK-SIZ1 CK-SIC1
CS-HS448			CS-AT002 CS-AT152 CS-AT252 CK-CPK42 CK-CPK62 CK-CPK82	CM-S2480	
CS-HS548		CS-IC481 CS-IC485 CS-PF375	CS-MC103 CS-A0030 CS-A1530 CS-A2530 CK-CPK43 CK-CPK63 CK-CPK83	CM-S3480	CS-TB030 CS-TBF30 CS-IN360
CS-HS648	CS-IO485 CS-IO395	CS-IC485 CS-PF375	CK-CPK44 CK-CPK64 CK-CPK84	CM-S4480	
CS-HS848				CM-S5480	

Gingival height 3, 4, 5, 6, 8mm

Overdenture options

3.





Healing caps

Impression coping - open tray

or

Impression coping - closed tray

Cemented options




Gingival height 2, 3, 4, 5, 6, 8mm	VS-HS358	CS-IO375 CS-IO485 CS-IO391 CS-IO395	CS-IC481 CS-IC485 CS-PF375 CS-IT300	VS-AT001 CS-AN151 CS-AN251 VS-MC101 VK-CPK61 VK-CPK81
	VS-HS458		CS-IC481 CS-IC485 CS-IT300 CS-PF375	VS-AT002 VS-AT152 VS-AT252 VK-CPK62 VK-CPK82
	VS-HS558			VS-AT003 VS-AT153 VS-AT253 VS-MC103 VK-CPK63 VK-CPK83
	VS-HS658	CS-IO485 CS-IO395		VK-CPK64 VK-CPK84
	VS-HS858			

STANDARD

STANDARD


C1 (Ø3.75, Ø4.20)
V3 (Ø3.90, Ø4.30, Ø5)

Restorative Options for Standard Platform



C1 Ø3.75
C1-08375
C1-10375
C1-11375
C1-13375
C1-16375

V3 Ø3.90
V3-08390
V3-10390
V3-11390
V3-13390
V3-16390



C1 Ø4.20
C1-08420
C1-10420
C1-11420
C1-13420
C1-16420

V3 Ø4.30
V3-08430
V3-10430
V3-11430
V3-13430
V3-16430



V3 Ø5
V3-08500
V3-10500
V3-11500
V3-13500
V3-16500



C1
CC1-00375
Cover Screw
(20-25 Ncm)



V3
CC1-00315
Cover Screw
(20-25 Ncm)

Fixed Prosthetic Options

Healing Caps



Ø3.9
CS-H0339 (H=3mm)
CS-H0439 (H=4mm)
CS-H0539 (H=5mm)
CS-H0639 (H=6mm)
CS-H0839 (H=8mm)



Ø4.8
CS-HS248 (H=2mm)
CS-HS348 (H=3mm)
CS-HS448 (H=4mm)
CS-HS548 (H=5mm)
CS-HS648 (H=6mm)
CS-HS848 (H=8mm)



Ø5.8
VS-HS358 (H=3mm)
VS-HS458 (H=4mm)
VS-HS558 (H=5mm)
VS-HS658 (H=6mm)
VS-HS858 (H=8mm)

20-25 Ncm

Impression Copings



CS-IO391 (Ø3.2mm H=11mm)
CS-IO395 (Ø3.2mm H=15mm)



CS-IO375 (Ø3.75mm H=11mm)
CS-IO485 (Ø3.75mm H=15mm)



CS-IT300 (Ø4.8mm)



CS-IC481 (Ø4.5mm H=11mm)
CS-IC485 (Ø4.5mm H=15mm)



CS-PF375 (Ø3.2mm)

20-25 Ncm

Analogue




CS-RSM10

20-25 Ncm

Temporary Cylinders




CS-TCI13 (Ø4.8mm H=1mm)
CS-TCI23 (Ø4.8mm H=2mm)
CS-TCI33 (Ø4.8mm H=3mm)



VS-TCI13 (Ø5.8mm H=1mm)
VS-TCI23 (Ø5.8mm H=2mm)
VS-TCI33 (Ø5.8mm H=3mm)



CS-TCO13 (Ø4.8mm H=1mm)
CS-TCO23 (Ø4.8mm H=2mm)
CS-TCO33 (Ø4.8mm H=3mm)



VS-TCO13 (Ø5.8mm H=1mm)
VS-TCO23 (Ø5.8mm H=2mm)
VS-TCO33 (Ø5.8mm H=3mm)



CS-TPH50 (Ø3.5mm)



CS-TPA10 (Ø4.8mm H=1.5mm)

20-25 Ncm

All superstructures are provided with the relevant prosthetic screws:



Standard







Optional gold







Gold Plastic Cylinders



Cemented Abutments



Cemented Angulated Abutments




Zirconia Solutions



* Available in kits only




* Available in kits only




* Includes burnout anti-rotation plastic cap MD-ICH40

Restorative Options for Standard Platform


Multi-Units	Ball Attachments	OT-Equators	Ti-Base	Titanium Blank
 <p>CM-S1480 (H=1mm) CM-S2480 (H=2mm) CM-S3480 (H=3mm) CM-S4480 (H=4mm) CM-S5480 (H=5mm)</p> <p>* Do not exceed 30 Ncm</p> <p>Angulated</p> <p>17°</p>  <p>CM-SO171 (H=1mm) CM-SO172 (H=2mm)</p> <p>30°</p>  <p>CM-SO301 (H=1mm) CM-SO302 (H=2mm)</p> <p>* Do not exceed 20 Ncm</p>	 <p>CS-B1375 (H=1mm) CS-B2375 (H=2mm) CS-B3375 (H=3mm) CS-B4375 (H=4mm) CS-B5375 (H=5mm)</p>	 <p>CK-SOE1 (H=1mm) CK-SOE2 (H=2mm) CK-SOE3 (H=3mm) CK-SOE4 (H=4mm) CK-SOE5 (H=5mm)</p> <p>* Available in kits only</p>	 <p>CS-TB001 (Ø4.4mm H=0.5mm, C=4mm) CS-TB015 (Ø4.4mm H=1.5mm, C=4mm) CS-TB030 (Ø4.4mm H=3mm, C=4mm)</p>  <p>CS-TB002 (Ø4.4mm H=0.5mm, C=4mm) CS-TBF15 (Ø4.4mm H=1.5mm, C=4mm) CS-TBF30 (Ø4.4mm H=3mm, C=4mm)</p>  <p>CS-IN060 (Ø4.4mm H=0.5mm, C=6mm) CS-IN160 (Ø4.4mm H=1.5mm, C=6mm) CS-IN360 (Ø4.4mm, H=3mm, C=6mm)</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="1085 960 1170 1138"> <p>Analog</p>  <p>CS-RSM10</p> </div> <div data-bbox="1209 960 1285 1138"> <p>Burnout</p>  <p>GI-SCH11</p> </div> <div data-bbox="1323 960 1408 1138"> <p>Scanning Abutment</p>  <p>* CS-SP102</p> </div> </div> <p>* Scanning Abutment is sold separately and is not part of the Ti-Base package.</p> <p>○ Free rotation ◉ Anti-rotation</p>	 <p>CS-IB091 (Ø9mm) CS-IB121 (Ø12mm)</p>  <p>CS- MAB10</p>
	30-35 Ncm	30-35 Ncm	30-35 Ncm	

Implant Details

C1




3.75
Diameter




4.20
Diameter


V3




3.90
Diameter



4.30
Diameter



5
Diameter



Emergence profile



STANDARD

WIDE PLATFORM /C1 (Ø5)

1.

Healing caps

Impression coping - open tray

Impression coping - closed tray




Cemented options

Screw retained options

CAD/CAM Solutions

2.

Healing caps



Gingival height 3, 4, 5, 6mm	CW-HS355	CW-I0500 CW-I0555 CW-I0501 CW-I0505	CW-IC551 CW-IC555 CW-IT300 CW-PF500	CW-AT001 CW-AN151 CW-SMAC1 CK-WPK61 CK-WPK81	CW-GP010 CW-GPC10 CM-W1480	CK-WOE1 CW-B1500
	CW-HS455			CW-AT002 CW-AT152 CW-AT252 CK-WPK62		
	CW-HS555		CW-IC551 CW-IC555 CW-PF500	CW-AT003 CW-AT153 CW-AT253 CW-MC103 CK-WPK63 CK-WPK64	CM-W3480	CK-WOE3 CW-B3500
	CW-HS655					
Gingival height 2, 3, 5mm						CW-HA263
						CW-HA563


! Each item chart displays available healing cap heights and related prosthetic options. **Bold item** numbers are shown in images above each column.

Impression
coping -
open tray

Impression
coping -
closed tray

or

CAD/CAM
Solutions



CW-IO500
CW-IO555
CW-IO501
CW-IO505

CW-IC551
CW-IC555
CW-PF500
CW-IT300

CK-WPZ4
CK-WPC4
CW-TB001
CW-TB002

CW-TB015
CW-TBF15

CW-IC551
CW-IC555
CW-PF500

CW-TB030
CW-TBF30

Healing Caps



C1

- C1-08500
- C1-10500
- C1-11500
- C1-13500
- C1-16500

Ø5.5



- CW-HS355 (H=3mm)
- CW-HS455 (H=4mm)
- CW-HS555 (H=5mm)
- CW-HS655 (H=6mm)

Ø6.3



- CW-HA263 (H=2mm)
- CW-HA363 (H=3mm)
- CW-HA563 (H=5mm)

Fixed Prosthetic Options



CC1-00500
Cover Screw
(20-25 Ncm)

20-25 Ncm

Impression Copings



CW-IO501 (Ø4.1 H=11mm)
CW-IO505 (Ø4.1 H=15mm)



CW-IO500 (Ø5 H=11mm)
CW-IO555 (Ø5 H=15mm)



CW-IC551 (Ø4.5 H=11mm)
CW-IC555 (Ø4.5 H=15mm)



CW-IT300 (Ø5.5)



CW-PF500 (Ø5.5)

20-25 Ncm

Analog



CW-RSM10

20-25 Ncm

All superstructures are provided with the relevant prosthetic screws:

Standard



Optional gold



Temporary Cylinders



CW-TC013 (Ø5.5 H=1mm)
CW-TC023 (Ø5.5 H=2mm)
CW-TC033 (Ø5.5 H=3mm)



CW-TCI13 (Ø5.5 H=1mm)
CW-TCI23 (Ø5.5 H=2mm)
CW-TCI33 (Ø5.5 H=3mm)



CW-TPH50 (Ø4.5mm)



CW-TPA10 (Ø5.5 H=1mm)

20-25 Ncm

Gold Plastic Cylinders



CW-GPC10 (Ø5.5mm H=1mm)



CW-GP010 (Ø5.5mm H=1mm)

○ Free rotation
◻ Anti-rotation

20-25 Ncm

Cemented Abutments



CW-SMAC1 (Ø5.5mm H=1mm)
CW-MC103 (Ø5.5mm H=3mm)



CW-AT001 (Ø5.5mm H=1mm)
CW-AT002 (Ø5.5mm H=2mm)
CW-AT003 (Ø5.5mm H=3mm)



CW-CPK61 (C=6mm H=1mm)
CW-CPK62 (C=6mm H=2mm)
CW-CPK63 (C=6mm H=3mm)
CW-CPK64 (C=6mm H=4mm)



MW-IC040



MW-ICH40


* Includes burnout anti-rotation plastic cap MW-ICH40

30-35 Ncm

Cemented Angulated Abutments



CW-AN151 (Ø5.5mm H=1mm)
CW-AT152 (Ø5.5mm H=2mm)
CW-AT153 (Ø5.5mm H=3mm)



CW-AT251 (Ø5.5mm H=1mm)
CW-AT252 (Ø5.5mm H=2mm)
CW-AT253 (Ø5.5mm H=3mm)

30-35 Ncm

Zirconia Solutions

Non-Cemented



CK-WPZ4 (H=0.5mm)

* Available in kits only

Pre-Cemented



CK-WPC4 (H=0.5mm)

* Available in kits only

30-35 Ncm

WIDE

Multi-Units



CM-W1480 (H=1mm)
CM-W3480 (H=3mm)
CM-W5480 (H=5mm)

* Do not exceed 30 Ncm

Angulated

17°



CM-WO171 (H=1mm)
CM-WO172 (H=2mm)

30°



CM-WO301 (H=1mm)
CM-WO302 (H=2mm)

* Do not exceed 20 Ncm

Ball Attachments



CW-B1500 (H=1mm)
CW-B3500 (H=3mm)

30-35 Ncm

OT-Equators



CK-WOE1 (H=1mm)
CK-WOE3 (H=3mm)
CK-WOE5 (H=5mm)

* Available in kits only

30-35 Ncm

Ti-Base



CW-TB001 (Ø5.7mm H=0.5mm C=4mm)
CW-TB015 (Ø5.7mm H=1.5mm C=4mm)
CW-TB030 (Ø5.7mm H=3mm C=4mm)



CW-TB002 (Ø5.7mm H=0.5mm C=4mm)
CW-TBF15 (Ø5.7mm H=1.5mm C=4mm)
CW-TBF30 (Ø5.7mm H=3mm C=4mm)

Analog



CW-RSM10

Burnout



GI-WCH11

* Scanning Abutment



CW-SP102

* Scanning Abutment is sold separately and is not part of the Ti-Base package.

○ Free rotation

⊗ Anti-rotation

30-35 Ncm

Implant Details


Titanium Blank




CW-IB091 (Ø9mm)
CW-IB121 (Ø12mm)



CW- MAB10



Emergence profile



5.0
Diameter

Healing Cap


Impression Copings

Analogs


Temporary Cylinders

Plastic Cylinders

Gold Plastic Cylinders



MU-H4480



MU-I0480



MU-IT480



MU-RSM48



MU-T0480



MU-S0220



MU-CP048



MU-S0220



MU-MG480



MU-G0220



MU-BGC48



MB-RS375



OE-IC002



OE-RSM60

Prosthetic Options (Complementary Components)

Gold Ball Cap

Plastic Ball Cap

Titanium Ball Cap

Metal Housing
& Plastic Caps

Metal Housing
& Transfer Caps

Impression
Transfer Cap

CAD/CAM
Cementing Cap

Scanning Abutment



MB-GPS10



MB-SF200



MB-TTP10



MB-DMH10



MB-PPC10



MB-PPR10



OE-RCW01
OE-RCY01
OE-MH001
OE-RCB01
OE-RCP01
OE-RCV01



OE-IC001









MU-CC480




MU-SP102

Restorative Components

Guidelines for Usage of MIS Restorative Components

Location ▶	Anterior Maxilla	Canine, Premolars and Molars			Premolars and Molars	
Crown/ Implant Inclination Ratio	15° or 25°	Up to 3.5°			15° or 25°	Up to 4°
Gingival Height	Up to 3mm buccal Up to 4mm palatal	Up to 3mm buccal Up to 4mm lingual/palatal	Adjustable, based on abutment preparation	Up to 2mm	Up to 3mm buccal Up to 4mm lingual	According to gingival height available in heights of 1,2,3,4mm
Catalog Number	CS-A1510 CS-A2510	CS-A0010	CS-MAC10	CS-GPC10 CS-GP010	CS-AN151 CS-AN251	CS-CPK61 CS-CPK62 CS-CPK63 CS-CPK64
Abutment ▶ description	Esthetic angulated abutment	Esthetic abutment	Standard post abutment	Screw-retained gold plastic abutment	Angulated abutment	Transgingival abutment
Upper ▶ view						

Note: The above table should be regarded as recommended guidelines only.



All rights reserved. No part of this publication may be reproduced, transcribed, stored in an electronic retrieval system, translated into any language or computer language, or be transmitted in any form whatsoever, without the prior written consent of the publisher. Warning: MIS products referred to in this document should be used by licensed dentists only.

